



Product overview

A compact one-room bathroom with a ceramic toilet, cabinet basin and unenclosed shower head. Pricing and the final shower BOM remain to be confirmed before sale.

Indent order only

This product is not normally held in stock. Choose full payment or a 50% deposit to place an indent order. The balance is due before dispatch or collection.

Specifications

DIMENSIONS

2180 mm × 1620 mm × 2354 mm

APPROX. WEIGHT

481 kg

CONFIGURATION

Toilet, cabinet basin and open shower head

STRUCTURE

Q235 steel frame and steel roof

WALLS

50 mm EPS composite panels

FLOOR

12 mm rigid PVC sheet

WINDOW

690 × 500 mm outward-opening aluminium window

WATER INLET

20 PPR pipe with 1/2-inch connection

DRAIN OUTLETS

Ø40 drain; Ø90 toilet discharge

ELECTRICAL

concealed wiring, 16 A breaker, 32 A aviation socket, 18 W light, socket and fan


Key features

- Ceramic toilet and 550 mm cabinet basin
- Open shower head listed without an enclosure or tray
- Factory electrical and plumbing fit-out with external connection points
- Mirror cabinet and ventilation fan
- Window, ceiling light, switch and socket
- Steel frame and insulated EPS wall panels


SITE CONNECTION REQUIRED

Internally wired and plumbed, but not plug and play or self-contained. Final service connections, testing and certification are required.


External elevation A




External elevation B




External elevation C




External elevation D




Front elevation




Bird's-eye plan




Upper section 1




Upper section 2




Upper section 3



Lower section 1



Lower section 2



Lower section 3

